

### **PREPARING THE THREE-PART TINTYPE CHEMISTRY:**

*To make one gallon of tintype developer:* In the following order dissolve Part 1 in 3000ml's (3 quarts) of lukewarm water. Use water that has been distilled or deionized, then add Part 2. Stir until dissolved. Cool to room temperature. Add the Part 3 bottle followed by water at room temperature to make one gallon (3800ml's) of working solution. A small amount of ammonia vapor will be given off, this is normal. Allow to "ripen" a few hours in a tray, or overnight in a closed container, before first use. Once made it can last up a year (if air is squeezed out and used developer is discarded).

Caution: Wear gloves to avoid skin contact and use ventilation if needed.

Rockland Colloid  
[www.rockaloid.com](http://www.rockaloid.com)